

F-3, Hub Chauki Road, S.I.T.E., Karachi-75730, Pakistan. Tel: 021-38709000 (30 Lines), 32560083-6, 32588708 Fax: 021-32560090, 32564458 UAN: 111-445-111 Email: marketing@gil.com.pk URL: www.gil.com.pk

(RAWALPINDI):

Gammon House 400/2, Peshawar Road, Rawalpindi Cantt. Tel: 051-5465898 Fax: 051-5468512

(LAHORE):

394 Shadman-I, Link Jail Road, Opposite Eden Centre, Lahore. Tel: 042-37421985-86-87 Cell: 0300-8494229 Tel: 061-6513913 Fax: 061-6513913

(MULTAN):

46-A. Commercial Area, Model Town, Northern Bypass Road, Multan.









IF LOOKS COULD THRILL


With a commanding stance, the Isuzu D-MAX combines a metropolitan style with tough off-road ruggedness. Pump your style up a notch with the top of the range V-Cross. It is designed to stand out from the crowd; the exterior styling of the Isuzu D-MAX surely has the looks that thrill.



The aerodynamic grille offers a stylish exterior for the powerful D-MAX engine



Projector headlights and DRLs are standard on V-Cross models





Six spoke 18" alloy wheels are standard on V-Cross models



These top of the range roof rails make your 4x4 look top of the line

BASK IN LUXURY

D-Max offers an audio system with Bluetooth connectivity for phone and audio streaming. All models come standard with a touchscreen audio and a reversing camera. Remote keyless entry with power windows is also offered. Behind the powerful exterior of every D-MAX lies a specially tailored spacious cabin for an ultimate luxurious ride.





Reversing camera is standard on all upgraded V-Cross models True audio experience with Live Surround Sound and 8 speakers with roof-mounted 'Exciter'



Passive Entry and Start System provides keyless locking and unlocking as well as an engine start/stop button (V-Cross models only)

Experience the ultimate comfort with leather accented seats as standard on V-Cross models



USUZI



380Nm (38.7kgm)/i,800-2,200rpm Wide flat torque curve ensures effortless driving, exceptional hill climbing, excellent off-road performance and outstanding fuel economy

POWER TO PERFORM

The Isuzu D-MAX range is powered by a highly refined 3-litre turbo diesel common rail engine which offers superior fuel efficiency thanks to low friction, fuel injection optimisation and a large front-mounted intercooler.

PERFORMANCE CURVE 4JJ1-TC HI

ENGINE SPEED (rpm)

This advanced Euro2-compliant unit generates 163PS of power and a peak torque output of 380Nm at a low 2000rpm. Consistent levels of torque are delivered through the majority of the rev-range, aiding with drivability and making towing up to 3.5 tonnes a breeze.

Mated to a 5-speed 'Rev-Tronic' automatic transmission with sequential sports mode, the automatic transmission features an adaptive-learning function which constantly monitors brake and throttle applications. This allows the transmission to automatically select the most appropriate shift points and lock-up points depending on the driver's behaviour, the vehicle's load and speed A smooth shift five-speed manual transmission is also available. It features a superior gear-lever pivot point, reducing gear-shift travel for a sportier feel.

Whether it's hauling big loads, powering through a work week, cruising through a weekend or going where others won't, the Isuzu D-MAX will get you there and beyond.



Isuzu 4JJ1-TC Hi-Power turbo diesel engine offers a maximum torque output of 380Nm and 163PS of power

REBEL WITHOUT A PAUSE

The Isuzu D-MAX will boldly take you places you've never before dared. You can comfortably tackle any environment with an electronic brake control that automatically engages the Hill Start Assist (HSA) to prevent vehicle rollback. Hill Descent Control (HDC) will give you the confidence to tackle any downhill terrain giving you maximum traction to make you roam like a rebel without a pause.



Large front brakes with ventilated disc

HILL START HILL DESCENT




HSA prevents rollback on gradients above 5.7 degrees, while HDC provides maximum traction going downhill



"Terrain Command" 4WD system allows for simple shift from 2WD-high, 4WD-high and 4WD-low

Steel underbody guards, on sump and transfer case, on 4x4 models play it safe





Included on all D-MAXV-Cross models, Electronic Stability Control (ESC) detects if the vehicle is under or over steerin



The cabin is constructed from high tensile tailor blank welded steel for unyielding strength and rigidity of the passenger safety cell



SRS dual airbags protect the driver and the front passenger in the event of a collision

Optimum Steering Control, when brakes are applied, with Anti-Lock Braking System (ABS), Electronic Brake-Force Distribution (EBD) and Brake-Assist (BA)











EXCEPTIONAL DURABLE PERFORMANCE

The Isuzu D-MAX comes from a lineage of the world's toughest, most reliable workhorses. Isuzu has created over 26 million diesel engines around the world resulting in D-MAX as a robust engine that won't let you down. Over 4,000,000km of strenuous testing in searing heat, heavy rain, hail and even snow was conducted in the development of the Isuzu D-MAX to ensure that this beast gives exceptional durable performance.



Advanced induction hardened liner technology eliminates the need for cylinder liners



Steel timing chain (not poly belt)



5-speed automatic and manual transmissions with equal maximum torque output



Sophisticated engine head, cam-to-valve roller bearings and variable swirl action gas flow



Variable Geometry System (VGS) turbocharger provides lower emissions and higher engine output



Large intercooler means greater thermo-cooling capacity



High pressure common rail fuel injection system minimises the amount of fuel needed in the combustion process, providing superior fuel economy



Comfort Suspension System consists of independent double wishbone and gas shock absorber front suspension. Over slung rear springs for improved off-road operation on all 4x4 models



FEATURES AND ACCESSORIES



Dual glove boxes and multiple storage compartments give plenty of room for your gear



Six-way electric driver's seat lets you find the perfect driving position at the touch of



Climate control air conditioning is standard on V-Cross models



Take the wheel in comfort in any D-MAX with a leather wrapped multifunctional control steering wheel with audio control and handsfree mobile



Optional wireless charging tray boosts your phone's battery



Optional rear-seat entertainment system



Cargo Spoiler



Carpet Mat



Illuminate Rocker Plate (Blue)



Sports Bar, Crew Stainless Steel



Tail Gate Ornament

Rear Combi Lamp Garnish





Roof Rail (Silver & Matte Black)

ETGHT SHADES OF D-MAX



Phantom Brown

D-MAX Black

Nautilus Blue

D-MAX Grey



Super White

Titanium Silver

Tundra Green

D-MAX Red

Disclaimer: The vehicle photo displayed in this catalogue may be an example only. The colours depicted and presented herein may differ from actual colour of the vehicle due to printing process limitations. Ghandhara industries Ltd. reserves the right to make changes, without notice, in the specifications and features of the vehicle at any time. Hence, Ghandhara industries Ltd. is not liable to this extent.

NATIONWIDE AUTHORISED '3S' DEALERS

ISUZU Ghandhara Karachi	Cell: 0346-8206091, 0333-3587840
ISUZU Ghandhara Lahore	Tel: 042-37421985-86-87 Cell: 0300-8494229
Karachi (ISUZU Razmak Motors)	Tel: 021-34948181, 34948282, 34941818 Cell: 0315-2747889, 0321-4948181, 0322-2278910
Islamabad (ISUZU Federal Motors)	Tel: 051-2226970-72 Cell: 0321-5008180
Multan (ISUZU Multan Motors)	Tel: 061-4555048, 4553237 Cell: 0300-8638389

Faisalabad (ISUZU Faisalabad Motors)	Tel: 041-2423881-82 Cell: 0300-7440046, 0300-8666715
Quetta (ISUZU Balochistan Motors)	Tel: 081-2301655 Cell: 0333-7814202, 0333-5736099
Quetta (ISUZU Quetta Motors)	Tel: 08I-2672222 Cell: 0333-7874695
D. I. Khan (ISUZU D. I. Khan Motors)	Tel: 096-674 8 8 Cell: 0346-9 8 8 8
Peshawar (ISUZU Peshawar)	Tel: 091-2262188 Cell: 0300-5970876

SPECIFICATIONS

Hi-Lander M/T	V-Cross M/T	V-Cross A/T
Crew Cab 2.5 L 4x4	Crew Cab 3.0 L 4x4	Crew Cab 3.0 L 4x4
TFS86DMAKI	TFS85DMDK1	TFS85DADK1

Dimensions				
Exterior	LxWxH (mm)	5295 x 1860 x 1785	5295 x 1860 x 1785	5295 x 1860 x 1785
Cargo Sox (Inside)	ExWxd4 (inmi)	1552 x 1530 x 465	1552 × 1530 × 465	1552 x 1530 x 465
Wheel Base	(men)	3.095	3,095	3,095
Overbang	FOH (mm)	905	905	905
	ROH (mm)	1.295	1,295	1,295
Tread	Front (rom)	1,570	1,570	1,570
	Rose (mm)	1,370	1,570	1,370
Min. Ground Clearance	(mm)	235	235	235
Interior	Shoulder Roccy (mm)	1,460	1,460	1,460
	Head Room (mm)	1,005	1,005	1,005
	Sust Height (min)	305	905	305
	Front Leg Room (mm)	1.070	1,070	1.070
	Rear Leg Room (mm)	915	915	915

Weight & Capacities				
GVW	(Rg)	2,800	2,800	2,800
Curb Weight	(vg)	1.905	1,925	4.935
Seating Capacity	(Person)	5	3	(5):
Fuel Tank Capacity	(IS	76	76	76

Engine					
Model		4JKI-TCH	4JJ1-TC HI		
Туре		In-line 4 Cylinder VGS Turbo Intercooler Dissel DOHC 16V			
Deplacement	(cc)	2,499	2.999		
Bore x Stroke	(mm)	95.4 × 67.4	95.4 x (04.9		
Compression Ratio		18.3	173		
Fixel System		Direct Injection Electronic Direct Injection Bestronic Common Rail			
Max. Output	(kw (PS) (@ rpm)	100 (136) @ 3.400	(20 (163) @ 3,200		
Mix. Torque	(Nm (kgm) (@ rpm)	320 (32.6) (2 1,800-2,900	380 (38.7) @ 1,800-2,200		
Turtio		Equipped	Equipped		
intercopier				Equipped Equipped	
Emission Control		Euro-2 Euro-2			
Immobiliser			Equipped		

Fansmission				
Model		MUA-5H	MUX-SS	T8-50/.5
Туре		5-Speed Manual with Gear Shift Indicator		5-Speed Autorostic with Sequential Shift
Transfer Control		Part-Timp H2, H4, L4	Part-Tome	H2, H4, L4
		Switch Type Sw		nch Type

Suspension & Bra	ake System				
Suspension	Front	CHCH	Independent Double Wishbanes with Coll Springs	Independent Double Wishbones with Coll Springs, Comfort	
	Bear		Serry Ellipsim! Leaf Springs, Rigsd Axis	Somi Elliptical Leaf Springs, Rigid Axie	
Santa De	Stabiliser Bar	Front	Equipped	Equipped	
Shock Absorber		All Wheels Hydraulic Double Action Telescopic	All Wheels Hydraulic Double Action Telescope, Comfort		
Brake:	Type	Front		Ventilizaed Disc	
		Rear	Leading & Training Circum		

SPECIFICATIONS

 Hi-Lander M/T
 V-Cross M/T
 V-Cross A/T

 Crew Cab 2.5 L 4x4
 Crew Cab 3.0 L 4x4
 Crew Cab 3.0 L 4x4

 TFS86DMAKI
 TFS85DMDKI
 TFS85DADKI

steering Type		Hydraulic Power Steering	Hydraulic Power Steering	Hydraulic Power Steering	
Min. Turning Racous.	Body (m)	6.7	0.3	6.3	
Adjustments	1800277.418	Tilt	TH:	Tit:	
	00000	00000	0000	0000	
Tyres & Wheels					
Tyres		245/70R16		50R18	
Whicels:		16" Steel	18*	Alloy	
Safety				A A A	
Fraction Control System		Friend	Equipped	Equipped	
Electronic Stability Contro	i Tesc	Equipped		pped	
Limited Skp Differential	ISD	6.00	. Equi	pped	
	Hux4	Equipped		a.	
Hill Scart Assist	HSA		560	pped	
HIII Descrint Control	HDC			pped	
SRS Airbagu				Front Passenger	
ABS with EBD	200		Equipped	373 373 373 37	
Braker Aksem	BA .		Equipped		
Body Construction		Cabin Constr	uction with Tailor-Welded Blank, High	Tensile Scoti	
Windscreen	- A		Front Laminased with Rear Defogger		
Wiper	Frant	Incornitions	Variable lim	ecmittant	
Front Seatbelt	Outside		cking Retractor (ELR) for all Occupant ensioner with Load Limiter for Front 3		
	Centre	LAS	A PARTY OF THE PROPERTY OF THE	THE REAL PROPERTY.	
Maria Province			-22		
Rear Searbelt	Outside	3 Point ELK Fixed Shoulder	3 Point ELR Fixed Shoulder		
	Centre	LAP		AP	
Child Seat Anchorage	ISO Fix for Rear Outside		Equi	pped	
Child Protector Safety Los	de		Equipped (Rear Door)		
High Mount Stop Lamp			Eta	pped	
Raverse Sensor				ional	
Vahicle Security System			Anti-Theft Alram System with Key-Coded Immobilises		
Varietie Security Systam.	-	Alerth	en Aram System with Key-Coded linn	Hallinger	
Exterior					
Headlamp	Туре	Halogen	Projector with	Multi-Reflector	
Day Running Lights	DRL		1	ED	
From Fog Lamp		Equipped	Equi	pped	
Side Turn Lamp		On Front Door		e Mirror	
Rear Combination Lamps		Bulb with Silver Pama Refloctor		D	
Front Grille		Body Coloured		come	
Door Outer Mirror		Manual - Body Coloured		ric Folding & Control with LED urn inflicator	
Door Handle		Body Coloured		ome	
Dear Yisars	Front/Rear			Equipped	
Bomper	Front	Body Coloured	Book C	oloured:	
	Rear	One Step Type, Black Painted		hrome Plating Finished	
Side Step	A	100	- Equipped, Fixed on Body, Cover & Finishin.		
Deck Gurrd		Equipped		November 1997	
Rope Hook		loner	tio	ndr .	
Tail Gaze Handle	Tone	Centre		otre	
mi (2000 Fiai)(H)	Туре	750000	1976	17.77	
	Colour	Material Black		ome	
Bed Limny				pped	
Camera	Rear		Equipped		

SPECIFICATIONS .

Hi-Lander M/T	V-Cross M/T	V-Cross A/T
Crew Cab 2.5 L 4x4	Crew Cab 3.0 L 4x4	Crew Cab 3.0 L 4x4
TFS86DMAKI	TFS85DMDK1	TFS85DADK1

Interior					
Interior Accent Colour		Black	Bright Silver		
Meter Panel		Conventional	E-LUMAX with Advance Multi-Information Display		
Steering		3-Spoke Urethans	3 Spoke Leather Wrapped with Audio & Hand Free switches		
Assist Grip		Pitta	r Fixed Assist Grip for Oriver & Front Passenger		
Door Trim		Mack	Bright Silver	Bright Silver	
Power Window			Auto Up/Down & jan	Protection for Driver	
Fower Door Lock			Equipped with Speed Sensing Automatic Door Lock Automatically Release Lock when SRS Activate		
Pess	Push Engine Sturt		Equipped	Equipped	
Wireless Key				ey with Immoberer	
Air Conditioner		Manual AC		o AC	
Climate Control				ppqd	
Heater		Equipped:	Equ	pped	
	Seating Capacity (No. of Parson)	3		2	
	Type	Berich		ux Pad Shape	
	Hard Rest	Independent (Driver, Attest)	Independent ((Driver, Assist)	
Front Seat	Seat Material	Viryl	Les	ther	
The state of the s	Stide Adjustment	Driver	Driver +	Passonger	
	Height Adjustmust		Dr	WEE	
	Recline Adjustment	Driver	Dryvnr	* Assist.	
	Control	Manual	Pio	wer	
	Head Rest	Outside	Outside	& Centro	
Hear Sear	Armoust.			ppod.	
	Folding		Fold Up/Down, Easy to Place Luggage	Mari	
Middle Console Bco.		Street Street	The state of the s	with Rear Cup Holder	
Over Head Console		F 7 11 12 12 13	With Map Lamp, Sun Glass Holder		
Glove Box		Standard	With Ignition Key Lock		
See Visor		Driver + Passenger	Driver + Passenger with Ticket Holder (Driver) & Vanity Mirro		
Cost Hook		Yes	33	et .	
Ash Tray		Cup Holder Type	Cup Ho	Ider Type	
Cabin Lamp		Equipped	Equ	pped	
Rocker Plate				Едигрред	
Accessory Connector	12V DC	Equipped	Equi	pped	
Audio	Speakers	2 Speaker		inded Sound System	
radio	Head Lines	Radio, CO		DVD	
	Screen	-	8	nch	
Infortainment	troot	Radio AMFM/1-CD, Clock USB/AUX, Black Face	Premium Infotalisment System Clock, BT()-fund Frae/Autho), USB +FD/HS, AUX, IPod/iPhone Function, Rear Camera, Smart Phone Connect System	Prenium Inforamment System Clock: 87 (Hand Free/Audio), USB, AUX, Fly Link (Podf/Phone/Android Function), Rear Camera, Smort Phone Connect System	
	Navigation			Equipped	
Accessories (Option	al)				
Sports Bar, Crew Stainless S					
Cargo Spoiler					
Warninste Rocker Plate (Blux			Standard in V-Cross LS models		
Roof Rail (Silver & Marze Bla					
Tail Gate Ornament			Select (Sports Bar or Cargo S	polici).	
Carper Mas					
Rear Combi Lamp Garmin			Opponsi		
Rear Entectainment			Opponal		
Mobile Windess Chargor			Opponsi		

LCV (Light Commercial Vehicle)